

Product description:

**EuroLam-Louvre windows System GG ISO 32 BT 60 (certified NRWG according to DIN EN 12101-2)**

**construction:**

- Frame and blades in thermally separated three chamber aluminium profiles, made out of extruded aluminium sections, highly insulating
- Frame installation depth 60 mm
- No horizontal wing profile
- Total strength of wing 42 mm
- Louvre blades mounted in centre, excentric mounting also possible
- Variable height of louvre blades between 200 mm and 350 mm
- Hidden opening fittings

**installation:**

- Direct installation in masonry or with EuroLam- Clamping frame for installation in post-girt constructions, wall masonry(20 mm x clamping strength in mm) or window elements (30 mm x clamping strength in mm)  
Thermally separated EuroLam- adapter sections made out of aluminium and/or plastic according to specific installation situation

**glazing:**

- Dry glazed
- Insulated glass insertable, made out of: 1x safety glass 8 – 10mm on the outside + safety glass 8 – 10mm on the inside  
(with black spacers) Ug-value depending on glass structure  
Total strength of glass 32 mm

**operation:**

- Operation with pneumatic cylinders or electric servomotors with choice of 24V

**Surface treatment:**

- Profiles anodised, powder or wet paint coated to RAL, NCS, DB or special colour shades

**Optional:**

- Clamping protection class 4 over WPS
- Clamping protection class 3, Operation with LDE motor

**manufacturer:**

**EuroLam GmbH  
Kupferstraße 1  
99510 Wiegendorf  
GERMANY**

info@eurolam.de  
http://www.eurolam.de

Position description:

**LV-Pos.**

01	01 Pcs	Louvre window	GG ISO 32 BT 60 NRWG
		Size (RAM) W x H:	_____x_____ mm
		Size clamping profile: (width x clamping strength)	_____x_____ mm
		Number of rows:	_____
		Number of louvre blades:	_____
		Installation:	post-girt constructions, wall masonry or window elements
		glazing:	e.g.: ESG-H 8 mm 16 mm SZR ESG-H 8 mm
		operation:	24V; pneumatic cylinders
		Surface treatment:	RAL Standard

**LV-Pos.**

**EuroLam GmbH  
Kupferstraße 1  
99510 Wiegendorf  
GERMANY**

info@eurolam.de  
<http://www.eurolam.de>